

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4107	(transiti\$5 or chang\$3) with ((processor\$1 or microprocessor\$1 or CPU\$1) near2 (mode\$1 or state\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 12:55
L2	453	L1 with determin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:55
L3	7	L2 with ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 12:55
L9	14	(Datta and Sham).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:58
L16	39	(US-5423045-\$ or US-5630147-\$ or US-5630148-\$ or US-5721935-\$ or US-5740454-\$ or US-5752062-\$ or US-5771390-\$ or US-5826092-\$ or US-5903599-\$ or US-5953685-\$ or US-5963738-\$ or US-5983357-\$ or US-5996082-\$ or US-6038671-\$ or US-6065121-\$ or US-6065122-\$ or US-6105142-\$ or US-6112164-\$ or US-6118306-\$ or US-6122748-\$ or US-6145048-\$ or US-6167524-\$ or US-6185677-\$ or US-6193422-\$ or US-6216235-\$ or US-6219742-\$). did. or (US-6272642-\$ or US-6405320-\$ or US-6442700-\$ or US-6453423-\$ or US-6457082-\$ or US-6510525-\$ or US-6574740-\$ or US-6598169-\$ or US-6665802-\$ or US-6678830-\$ or US-6678831-\$ or US-6704877-\$ or US-6732280-\$). did.	USPAT	OR	OFF	2005/05/17 13:03
L17	2	16 and ((thermal or temperature) near6 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:14
L18	17	16 and (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:06

L19	38	((transiti\$5 or chang\$3) near6 (performance adj state\$1)) with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 13:09
L20	7	L19 with ((operating adj system) or OS)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 13:09
L21	9	("5845280" "5903894" "5999730" "6081901" "6105142" "6131131" "6167511" "6212574" "6230279").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 13:11
L23	35	ACPI and Microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:14
L24	5	23 and ((thermal or temperature) near6 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:14
S1	2	(determin\$5 near6 ((thermal or temperature) near3 (state\$3 or condition\$1))) same (((system adj management adj interrupt\$1) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:23
S2	5	(determin\$5 near6 ((thermal or temperature) near3 (state\$3 or condition\$1))) same ((system adj management adj interrupt\$1) or SMI\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 07:43
S3	150	(performance adj state\$1) near6 (manag\$5 or control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:09
S4	33	S3 same (program\$1 or (sub adj program\$1) or routine\$1 or (sub adj routine\$1) or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:00
S5	22	S3 with (program\$1 or (sub adj program\$1) or routine\$1 or (sub adj routine\$1) or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 07:46
S6	10	S4 same (interface\$1 or applet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:01

S7	4	S5 with (interface\$1 or applet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 07:48
S8	4	S4 same applet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 07:54
S9	0	S5 with applet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 07:46
S10	6	("5027273" "5319772" "5453904" "5475324" "5903599" "6118306").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 07:49
S11	3	("5903599").URPN.	USPAT	OR	OFF	2005/05/17 07:50
S12	12	("4009346" "4363093" "4438511" "4679227" "4731816" "4980897" "5168495" "5574934" "5708415" "5752062" "5784649" "5790550").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 07:53
S13	0	S4 same java	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 07:53
S14	12	S3 same ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 13:14
S15	5	S3 with ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 07:59
S16	6	S14 same (program\$1 or (sub adj program\$1) or routine\$1 or (sub adj routine\$1) or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 07:55
S17	3	S15 with (program\$1 or (sub adj program\$1) or routine\$1 or (sub adj routine\$1) or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 07:56
S18	4	S16 same applet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 07:55

S19	0	S17 with applet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 07:55
S20	3177	(transiti\$5 or chang\$3) near6 ((processor\$1 or microprocessor\$1 or CPU\$1) near2 (mode\$1 or state\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 10:33
S21	734	S20 same (program\$1 or (sub adj program\$1) or routine\$1 or (sub adj routine\$1) or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:06
S22	307	S20 with (program\$1 or (sub adj program\$1) or routine\$1 or (sub adj routine\$1) or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:01
S23	31	S21 same (interface\$1 or applet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:17
S24	10	S22 with (interface\$1 or applet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:10
S25	0	S23 same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:01
S26	0	S21 same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:02
S27	0	S20 same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:02
S28	1	S21 same applet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:02
S29	2	S23 same ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:03

S30	1	S24 with ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:30
S31	5	("5963738").URPN.	USPAT	OR	OFF	2005/05/17 08:04
S32	1	S21 same (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:18
S33	9	S20 same (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:21
S34	0	S20 with (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:18
S35	1	S4 same (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:37
S36	2	S3 same (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:22
S37	5	(determin\$5 near6 ((thermal or temperature) near3 (state\$3 or mode\$1 or condition\$1))) same ((system adj management adj interrupt\$1) or SMI\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:24
S38	5	(determin\$5 near6 ((thermal or temperature) near3 (state\$3 or mode\$1 or condition\$1))) with ((system adj management adj interrupt\$1) or SMI\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:25
S39	30	((thermal or temperature) near3 (state\$3 or mode\$1 or condition\$1)) same ((system adj management adj interrupt\$1) or SMI\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:25
S40	24	((thermal or temperature) near3 (state\$3 or mode\$1 or condition\$1)) with ((system adj management adj interrupt\$1) or SMI\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:26

S41	1	S39 same ((thermal or temperature or ACPI) near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:28
S42	1	S39 same driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:26
S43	927	(mode\$1 or state\$1 or condition\$1) same ((thermal or temperature or ACPI) near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:38
S44	482	(mode\$1 or state\$1 or condition\$1) with ((thermal or temperature or ACPI) near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:28
S45	252	S43 same (thermal or temeperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:29
S46	79	S44 with (thermal or temeperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:29
S47	2	S45 same ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:22
S48	12	S43 same ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:53
S49	6	S44 with ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:32
S50	0	S48 same (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:37
S51	1	S48 same applet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:37

S52	2	S48 same interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:38
S53	852	(mode\$1 or state\$1 or condition\$1) same ((thermal or temperature) near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:47
S54	437	(mode\$1 or state\$1 or condition\$1) with ((thermal or temperature) near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:38
S55	2	S53 same ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:45
S56	77	(mode\$1 or state\$1 or condition\$1) same (ACPI near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:39
S57	46	(mode\$1 or state\$1 or condition\$1) with (ACPI near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:39
S58	10	S56 same temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:53
S59	0	S57 with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:40
S60	107	S53 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:50
S61	33	S54 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:44
S62	2	S60 same ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:45

S63	144	S53 same (transiti\$5 or chang\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:51
S64	51	S54 with (transiti\$5 or chang\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:47
S65	145	(mode\$1 or state\$1 or condition\$1) same ((thermal or temperature) adj driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:48
S66	74	(mode\$1 or state\$1 or condition\$1) with ((thermal or temperature) adj driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:48
S67	34	S65 same (transiti\$5 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:49
S68	8	S66 with (transiti\$5 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:48
S69	16	S65 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:50
S70	9	S66 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:50
S71	12	S60 same (transiti\$5 or chang\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:51
S72	1	S61 with (transiti\$5 or chang\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 08:51
S73	39	S20 same ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:07
S74	25	S20 with ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:14

S75	1	S73 same ((thermal or temperature) near2 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:54
S76	6	S73 same (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:15
S77	0	S74 with (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:55
S78	2	"6193422".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:05
S79	2	"6665802".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:05
S80	2	"5953685".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:06
S81	2	"6145048".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:08
S82	2	"5983357".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:08
S83	6	S3 and (international adj business adj machines).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:28
S84	2	"5630148".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:12
S85	48	("5630148").URPN.	USPAT	OR	OFF	2005/05/17 09:12

S86	1	S85 and ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:14
S87	9	S85 and (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:17
S88	0	S85 and ((thermal or temperature) near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:23
S89	13	S85 and (driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:17
S90	0	S86 and (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:23
S91	0	S86 and (driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:29
S92	150	((system adj management adj interrupt\$1) or SMI) and Compaq. as.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:43
S93	0	S92 and ((thermal or temperature) near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:23
S94	74	S92 and driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:23
S95	11	S94 and (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:29
S96	11	(Hobson and B and Louis).in.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:26

S97	276	S20 and (international adj business adj machines).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:28
S98	76	S97 and (driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:29
S99	7	S98 and (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:48
S10 0	68	("5423045").URPN.	USPAT	OR	OFF	2005/05/17 09:30
S10 1	25	S100 and ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:54
S10 2	8	("6112164").URPN.	USPAT	OR	OFF	2005/05/17 09:34
S10 3	2	S20 same ((ACPI adj source adj language) or ASL)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:39
S10 4	2	S20 with ((ACPI adj source adj language) or ASL)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:38
S10 5	4	S20 same ((ACPI adj machine adj language) or AML)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:39
S10 6	0	S20 with ((ACPI adj machine adj language) or AML)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:39
S10 7	6	("5027273" "5319772" "5453904" "5475324" "5903599" "6118306").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:40
S10 8	43	S20 and Compaq.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:48
S10 9	17	S108 and ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:59
S11 0	4	S109 and (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:52

S11 1	7	S109 and driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:49
S11 2	0	S109 and ((thermal or temperature) near6 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:59
S11 3	0	S109 and ((thermal or temperature) with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:52
S11 4	0	S97 and ((thermal or temperature) near6 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:53
S11 5	0	S97 and ((thermal or temperature) with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:53
S11 6	5	((system adj management adj interrupt\$1) or SMI) same ((thermal or temperature) near6 driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:54
S11 7	6	("5396636" "5511204" "5652894" "5925131" "6125449" "6202160").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:55
S11 8	49	((system adj management adj interrupt\$1) or SMI) and (Hewlett adj Packard).as.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 09:59
S11 9	1	S118 and ((thermal or temperature) near6 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:00
S12 0	33	S118 and driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:00

S12 1	38	(US-6442700-\$ or US-5903599-\$ or US-5752062-\$ or US-6272642-\$ or US-6118306-\$ or US-5963738-\$ or US-6510525-\$ or US-6405320-\$ or US-6122748-\$ or US-6065121-\$ or US-6219742-\$ or US-6598169-\$ or US-6105142-\$ or US-6193422-\$ or US-6665802-\$ or US-5953685-\$ or US-6145048-\$ or US-5983357-\$ or US-6167524-\$ or US-5630148-\$ or US-5826092-\$ or US-6704877-\$ or US-6216235-\$ or US-6112164-\$ or US-5423045-\$ or US-5996082-\$). did. or (US-5771390-\$ or US-6185677-\$ or US-6574740-\$ or US-6065122-\$ or US-6038671-\$ or US-5721935-\$ or US-6457082-\$ or US-5740454-\$ or US-6453423-\$ or US-6732280-\$ or US-6678831-\$ or US-6678830-\$).did.	USPAT	OR	OFF	2005/05/17 10:11
S12 2	2	S121 and applet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:12
S12 3	2	S121 and ((thermal or temperature) near6 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:16
S12 4	1	S121 and (determin\$5 near6 ((thermal or temperature) near3 (state\$3 or condition\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:15
S12 5	20	S121 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:16
S12 6	12	S125 and driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:17
S12 7	10	S126 and ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:21

S12 8	7	S126 and (((system adj management adj interrupt\$1) or SMI) adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:21
S12 9	44	((transiti\$5 or chang\$3) near6 (performance adj state\$1)) same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 10:34
S13 0	38	((transiti\$5 or chang\$3) near6 (performance adj state\$1)) with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 10:34
S13 1	21	S129 same ((operating adj system) or OS)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 10:36
S13 2	7	S130 with ((operating adj system) or OS)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 10:40
S13 3	10	S131 same (SMI adj handler)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 10:36
S13 4	4	S132 with (SMI adj handler)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 10:36
S13 5	10	S127 and ((operating adj system) or OS)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 10:40
S13 6	3177	(transiti\$5 or chang\$3) near6 ((processor\$1 or microprocessor\$1 or CPU\$1) near2 (mode\$1 or state\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:08
S13 7	680	S136 same determin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:09
S13 8	277	S136 with determin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:06
S13 9	10	S137 same ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:24
S14 0	4	S138 with ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:07

S14 1	7	S137 same (SMI adj handler)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:09
S14 2	7501	((transiti\$5 or chang\$3) same ((processor\$1 or microprocessor\$1 or CPU\$1) near2 (mode\$1 or state\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:09
S14 3	4107	((transiti\$5 or chang\$3) with ((processor\$1 or microprocessor\$1 or CPU\$1) near2 (mode\$1 or state\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:09
S14 4	1899	S142 same determin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:09
S14 5	453	S143 with determin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:10
S14 6	12	S144 same (SMI adj handler)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:10
S14 7	4	S145 with (SMI adj handler)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:10
S14 8	12	("5630147").URPN.	USPAT	OR	OFF	2005/05/17 11:12
S14 9	12	("5630147").URPN.	USPAT	OR	OFF	2005/05/17 11:16
S15 0	18	("4935929" "5131082" "5150467" "5237692" "5261057" "5283792" "5313642" "5353414" "5359569" "5379434" "5388265" "5390350" "5396635" "5398244" "5404546" "5408668" "5426741" "5440722").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:17

S15 1	39	(US-5423045-\$ or US-5630148-\$ or US-5721935-\$ or US-5740454-\$ or US-5752062-\$ or US-5771390-\$ or US-5826092-\$ or US-5903599-\$ or US-5953685-\$ or US-5963738-\$ or US-5983357-\$ or US-5996082-\$ or US-6038671-\$ or US-6065121-\$ or US-6065122-\$ or US-6105142-\$ or US-6112164-\$ or US-6118306-\$ or US-6122748-\$ or US-6145048-\$ or US-6167524-\$ or US-6185677-\$ or US-6193422-\$ or US-6216235-\$ or US-6219742-\$ or US-6272642-\$). did. or (US-6405320-\$ or US-6442700-\$ or US-6453423-\$ or US-6457082-\$ or US-6510525-\$ or US-6574740-\$ or US-6598169-\$ or US-6665802-\$ or US-6678830-\$ or US-6678831-\$ or US-6704877-\$ or US-6732280-\$ or US-5630147-\$). did.	USPAT	OR	OFF	2005/05/17 11:23
S15 2	4	S151 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:25
S15 3	17	S144 same ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:24
S15 4	7	S145 with ((system adj management adj interrupt\$1) or SMI)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 11:25
S15 5	12	S153 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:27
S15 6	4	S154 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:25
S15 7	4	S153 and S151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:58
S15 8	1	S154 and S151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:27